

# REGIOLUX



zatta

Lightness in the room

# zatta – time for you to make a move



A change in strategy? Individuality and flexibility in light planning are valued not only in the retail and logistic sectors. The zatta light raft has a compact and graceful appearance. It develops its tremendous light effect as basic lighting on track systems. The lightness in the room is created by the low installation height. In addition, it leaves a high-quality impression in terms of light technology. Which is why a suspended version is also available. It is based on the know-how gained from our surface luminaires with the efficient and anti-glare Individual.Lens.Optic. We have made the first move.



## zatta

Our new format for surface luminaires

- New option – surface luminaire on tracks
- Object areas: general lighting/aisle lighting/retail/logistics
- Extremely flat housing with driver
- Track and suspended mounting
- Excellent surface luminaire with flexible lighting technology
- Efficient, anti-glare lighting technology with Individual.Lens.Optic
- Output levels from 6,100 to 8,000 lumen



# zatta + DPSN


The zatta and 3-phase track systems are a great choice when it comes to designing visually attractive lighting concepts. It is ideal as a supplement to accentuated spotlights here. Regiolux has a large selection of practical installation accessories available for an individually designed DPSN track system.



Low installation height

|             |            |                         |                          |                      |           |      |
|-------------|------------|-------------------------|--------------------------|----------------------|-----------|------|
| 162<br>lm/W | ≥80<br>CRI | 3000<br>4000<br>CCT [K] | 6100<br>8000<br>lm netto | L80<br>B10<br>50000h | 35°<br>Ta | DALI |
|-------------|------------|-------------------------|--------------------------|----------------------|-----------|------|

## Lighting technology\*



\* Other lighting technologies possible

## Suspended mounting



Optional:  
Noble & black



Please refer to the current data for LED luminaires under [www.regiolux.de](http://www.regiolux.de)

\*For information about the manufacturer's guarantee for LED luminaires, see [www.regiolux.de/fi/leadmin/REGIOLUX/Service/Garantie/Warranty\\_LED\\_en.pdf](http://www.regiolux.de/fi/leadmin/REGIOLUX/Service/Garantie/Warranty_LED_en.pdf)

A++  
⌚  
⚡  
🔧  
CE IP 20

Mounting:

- 3-phase track

Housing:

- Sheet steel housing, powder-coated

Lighting technology ZTTAB:

- Individual.Lens.Optic; PMMA plastic
- Lighting characteristic direct wide distribution

Lighting technology ZTTADA:

- Individual.Lens.Optic; PMMA plastic
- Lighting characteristic direct Batwing distribution

Lamp:


- LED 50000h L80/B10
- CRI ≥ 80 / 4000K or CRI ≥ 80 / 3000K

Switching:

- 1 Control gear
- Electronic driver + DALI
- 230V 50Hz



Miscellaneous:

- Track adapter included in scope of delivery
- Black available on request
- DPSN FUNK adapter (3754 5000 205) DT8 EnOcean available as accessory
- Information about further EnOcean components via Dali@regiolux.de



Dimensions

| Type   | Versions | LxBxH/DxH      |
|--------|----------|----------------|
| ZTT.-2 | LED      | 617 x 119 x 32 |
| ZTT.-3 | LED      | 617 x 175 x 32 |



DPSN FUNK adapter



Tool for removal on  
DPSN

Accessories

| Type     | Colour   | Material | Details | Item number                   | kg            |        |
|----------|----------|----------|---------|-------------------------------|---------------|--------|
| Mounting |          |          |         |                               |               |        |
| Tool     | ZTTA-ERW | vw       | St      | for zatta for removal on DPSN | 4123 9000 100 | 0,15 1 |

zatta-ZTTAB-2 LED vw




zatta-ZTTAB-2 LED sg



## Products

| Type                                              | Lamps         | P <sub>sys</sub> [W] | Colour | Ballast | LxBxH/DxH      | Item number    |  |      |
|---------------------------------------------------|---------------|----------------------|--------|---------|----------------|----------------|--------------------------------------------------------------------------------------|------|
| Individual.Lens.Optic direct wide distribution    |               |                      |        |         |                |                |                                                                                      |      |
| zatta-ZTTAB-2                                     | LED 6100 830  | 42                   | vw     | ED      | 617 x 119 x 32 | 4123 1034 120  | 2,52                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 119 x 32 | 4123 1036 620  | 2,62                                                                                 |      |
|                                                   |               |                      | sg     | ED      | 617 x 119 x 32 | 4123 1034 125  | 2,52                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 119 x 32 | 4123 1036 625  | 2,62                                                                                 |      |
|                                                   | LED 6500 840  | 42                   | vw     | ED      | 617 x 119 x 32 | 4123 1044 120  | 2,52                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 119 x 32 | 4123 1046 620  | 2,62                                                                                 |      |
|                                                   |               |                      | sg     | ED      | 617 x 119 x 32 | 4123 1044 125  | 2,52                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 119 x 32 | 4123 1046 625  | 2,62                                                                                 |      |
|                                                   | zatta-ZTTAB-3 | LED 7400 830         | 49     | vw      | ED             | 617 x 175 x 32 | 4123 0014 120                                                                        | 3,22 |
|                                                   |               |                      |        |         | DALI           | 617 x 175 x 32 | 4123 0016 620                                                                        | 3,33 |
|                                                   |               |                      |        | sg      | ED             | 617 x 175 x 32 | 4123 0014 125                                                                        | 3,22 |
|                                                   |               |                      |        |         | DALI           | 617 x 175 x 32 | 4123 0016 625                                                                        | 3,33 |
| LED 7900 840                                      |               | 49                   | vw     | ED      | 617 x 175 x 32 | 4123 0024 120  | 3,22                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 175 x 32 | 4123 0026 620  | 3,32                                                                                 |      |
|                                                   |               |                      | sg     | ED      | 617 x 175 x 32 | 4123 0024 125  | 3,22                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 175 x 32 | 4123 0026 625  | 3,32                                                                                 |      |
| Individual.Lens.Optic direct Batwing distribution |               |                      |        |         |                |                |                                                                                      |      |
| zatta-ZTTADA-2                                    |               | LED 6200 830         | 42     | vw      | ED             | 617 x 119 x 32 | 4123 1034 110                                                                        | 2,52 |
|                                                   |               |                      |        |         | DALI           | 617 x 119 x 32 | 4123 1036 610                                                                        | 2,62 |
|                                                   |               |                      |        | sg      | ED             | 617 x 119 x 32 | 4123 1034 115                                                                        | 2,52 |
|                                                   | DALI          |                      |        |         | 617 x 119 x 32 | 4123 1036 615  | 2,62                                                                                 |      |
|                                                   | LED 6600 840  | 42                   | vw     | ED      | 617 x 119 x 32 | 4123 1044 110  | 2,52                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 119 x 32 | 4123 1046 610  | 2,62                                                                                 |      |
|                                                   |               |                      | sg     | ED      | 617 x 119 x 32 | 4123 1044 115  | 2,52                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 119 x 32 | 4123 1046 615  | 2,62                                                                                 |      |
| zatta-ZTTADA-3                                    | LED 7500 830  | 49                   | vw     | ED      | 617 x 175 x 32 | 4123 0014 110  | 3,22                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 175 x 32 | 4123 0016 610  | 3,33                                                                                 |      |
|                                                   |               |                      | sg     | ED      | 617 x 175 x 32 | 4123 0014 115  | 3,22                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 175 x 32 | 4123 0016 615  | 3,33                                                                                 |      |
|                                                   | LED 8000 840  | 49                   | vw     | ED      | 617 x 175 x 32 | 4123 0024 110  | 3,22                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 175 x 32 | 4123 0026 610  | 3,32                                                                                 |      |
|                                                   |               |                      | sg     | ED      | 617 x 175 x 32 | 4123 0024 115  | 3,22                                                                                 |      |
|                                                   |               |                      |        | DALI    | 617 x 175 x 32 | 4123 0026 615  | 3,32                                                                                 |      |



#### Mounting:

- Suspended

#### Housing:

- Sheet steel housing, powder-coated

#### Lighting technology ZTHB:

- Individual.Lens.Optic; PMMA plastic
- Lighting characteristic direct wide distribution

#### Lighting technology ZTHDA:

- Individual.Lens.Optic; PMMA plastic
- Lighting characteristic direct Batwing distribution

#### Lamp:

- LED 50000h L80/B10
- CRI ≥ 80 / 4000K or CRI ≥ 80 / 3000K


#### Switching:

- 1 Control gear
- Electronic driver + DALI
- 230V 50Hz

#### Miscellaneous:

- Y wire-rope suspension with connection cable and ceiling canopy included in the scope of delivery.
- Black available on request


zatta-ZTHB-3 LED vw



| ZTHB-3 LED<br>7400 lm 830 |           | ZTHDA-3 LED<br>8000 lm 840 |           |
|---------------------------|-----------|----------------------------|-----------|
| $\eta_{LB}$               | 100 %     | $\eta_{LB}$                | 100 %     |
| lm/W                      | 149       | lm/W                       | 162       |
| direct/indirect           | 100/0 %   | direct/indirect            | 100/0 %   |
| UGR lat./long.            | 20,6/20,7 | UGR lat./long.             | 19,9/18,5 |

#### Dimensions

| Type   | Versions | LxBxH/DxH      | A1  |
|--------|----------|----------------|-----|
| ZTH.-3 | LED      | 617 x 175 x 32 | 500 |



## Products

| Type                                              | Lamps        | P <sub>Sys</sub> [W] | Colour | Ballast | LxBxH/DxH      | Item number   |  |
|---------------------------------------------------|--------------|----------------------|--------|---------|----------------|---------------|---------------------------------------------------------------------------------------|
| Individual.Lens.Optic direct wide distribution    |              |                      |        |         |                |               |                                                                                       |
| zatta-ZTHB-3                                      | LED 7400 830 | 49                   | vw     | ED      | 617 x 175 x 32 | 4122 0014 120 | 3,50                                                                                  |
|                                                   |              |                      |        | DALI    | 617 x 175 x 32 | 4122 0016 620 | 3,60                                                                                  |
|                                                   |              |                      | sg     | ED      | 617 x 175 x 32 | 4122 0014 125 | 3,50                                                                                  |
|                                                   |              |                      |        | DALI    | 617 x 175 x 32 | 4122 0016 625 | 3,60                                                                                  |
|                                                   | LED 7900 840 | 49                   | vw     | ED      | 617 x 175 x 32 | 4122 0024 120 | 3,50                                                                                  |
|                                                   |              |                      |        | DALI    | 617 x 175 x 32 | 4122 0026 620 | 3,60                                                                                  |
|                                                   |              |                      | sg     | ED      | 617 x 175 x 32 | 4122 0024 125 | 3,50                                                                                  |
|                                                   |              |                      |        | DALI    | 617 x 175 x 32 | 4122 0026 625 | 3,60                                                                                  |
| Individual.Lens.Optic direct Batwing distribution |              |                      |        |         |                |               |                                                                                       |
| zatta-ZTHDA-3                                     | LED 7500 830 | 49                   | vw     | ED      | 617 x 175 x 32 | 4122 0014 110 | 3,50                                                                                  |
|                                                   |              |                      |        | DALI    | 617 x 175 x 32 | 4122 0016 610 | 3,60                                                                                  |
|                                                   |              |                      | sg     | ED      | 617 x 175 x 32 | 4122 0014 115 | 3,50                                                                                  |
|                                                   |              |                      |        | DALI    | 617 x 175 x 32 | 4122 0016 615 | 3,60                                                                                  |
|                                                   | LED 8000 840 | 49                   | vw     | ED      | 617 x 175 x 32 | 4122 0024 110 | 3,50                                                                                  |
|                                                   |              |                      |        | DALI    | 617 x 175 x 32 | 4122 0026 610 | 3,60                                                                                  |
|                                                   |              |                      | sg     | ED      | 617 x 175 x 32 | 4122 0024 115 | 3,50                                                                                  |
|                                                   |              |                      |        | DALI    | 617 x 175 x 32 | 4122 0026 615 | 3,60                                                                                  |




# Accessories 3 phase track DPSN + DALI

DPSN vw



## Phase track IP 20

Aluminium extruding press profile in white (RAL 9010) or aluminium natural anodized, rail can be shortened to any length. Voltage 230V/400 16 A + 2 control cables DALI




## Products

| Type      | Colour | Details                               | Item number   | kg   |   |
|-----------|--------|---------------------------------------|---------------|------|---|
| DPSN-1000 | aen    | 3~, max. 16A, +DALI, 7-pole, L=1000mm | 3764 4100 105 | 1,10 | 1 |
|           | ws     | 3~, max. 16A, +DALI, 7-pole, L=1000mm | 3764 4100 100 | 1,10 | 1 |
| DPSN-2000 | aen    | 3~, max. 16A, +DALI, 7-pole, L=2000mm | 3764 4200 105 | 2,10 | 1 |
|           | ws     | 3~, max. 16A, +DALI, 7-pole, L=2000mm | 3764 4200 100 | 2,10 | 1 |
| DPSN-3000 | aen    | 3~, max. 16A, +DALI, 7-pole, L=3000mm | 3764 4300 105 | 3,40 | 1 |
|           | ws     | 3~, max. 16A, +DALI, 7-pole, L=3000mm | 3764 4300 100 | 3,40 | 1 |
| DPSN-4000 | aen    | 3~, max. 16A, +DALI, 7-pole, L=4000mm | 3764 4400 105 | 4,50 | 1 |
|           | ws     | 3~, max. 16A, +DALI, 7-pole, L=4000mm | 3764 4400 100 | 4,50 | 1 |


## Accessories

| Type     | Colour | Material | Details                              | Item number   | kg   |   |
|----------|--------|----------|--------------------------------------|---------------|------|---|
| DPSN-ESL | sw     | PC       | Power supply for DPSN, 7-pole, left  | 3764 4002 104 | 0,10 | 1 |
|          | ws     | PC       | Power supply for DPSN, 7-pole, left  | 3764 4002 100 | 0,10 | 1 |
| DPSN-ESR | sw     | PC       | Power supply for DPSN, 7-pole, right | 3764 4001 104 | 0,10 | 1 |
|          | ws     | PC       | Power supply for DPSN, 7-pole, right | 3764 4001 100 | 0,10 | 1 |

DPSN-ESL/ESR



DPSN-ESM



|          |    |    |                                       |               |      |   |
|----------|----|----|---------------------------------------|---------------|------|---|
| DPSN-ESM | sw | PC | Power supply for DPSN, 7-pole, center | 3764 4003 104 | 0,19 | 1 |
|          | ws | PC | Power supply for DPSN, 7-pole, center | 3764 4003 100 | 0,19 | 1 |

DPSN-KE



|         |    |    |                                             |               |      |   |
|---------|----|----|---------------------------------------------|---------------|------|---|
| DPSN-KE | sw | PC | Rail connector for DPSN, 7-pole, electrical | 3764 4004 104 | 0,05 | 1 |
|         | ws | PC | Rail connector for DPSN, 7-pole, electrical | 3764 4004 100 | 0,05 | 1 |


DPSN-KM




|         |    |    |                                             |               |      |   |
|---------|----|----|---------------------------------------------|---------------|------|---|
| DPSN-KM | sw | PC | Rail connector for DPSN, 7-pole, mechanical | 3764 4005 104 | 0,05 | 1 |
|         | ws | PC | Rail connector for DPSN, 7-pole, mechanical | 3764 4005 100 | 0,05 | 1 |




DPSN-KF




DPSN-KTIL/KTIR



DPSN-KWA/KWI



DPSN-KX



| Type      | Colour | Material | Details                                                                | Item number   | kg   |   |
|-----------|--------|----------|------------------------------------------------------------------------|---------------|------|---|
| DPSN-KF   | sw     | PC       | Multiflex connector for DPSN, 0°-360°, 7-pole, horizontal and vertical | 3764 4006 104 | 0,24 | 1 |
|           | ws     | PC       | Multiflex connector for DPSN, 0°-360°, 7-pole, horizontal and vertical | 3764 4006 100 | 0,24 | 1 |
| DPSN-KTIL | sw     | PC       | Rail connector for DPSN, 7-pole, left inside                           | 3764 4018 104 | 0,29 | 1 |
|           | ws     | PC       | Rail connector for DPSN, 7-pole, left inside                           | 3764 4018 100 | 0,29 | 1 |
| DPSN-KTIR | sw     | PC       | Rail connector for DPSN, 7-pole, right inside                          | 3764 4015 104 | 0,29 | 1 |
|           | ws     | PC       | Rail connector for DPSN, 7-pole, right inside                          | 3764 4015 100 | 0,29 | 1 |
| DPSN-KWA  | sw     | PC       | Rail connector for DPSN, 7-pole, left                                  | 3764 4017 104 | 0,19 | 1 |
|           | ws     | PC       | Rail connector for DPSN, 7-pole, left                                  | 3764 4017 100 | 0,19 | 1 |
| DPSN-KWI  | sw     | PC       | Rail connector for DPSN, 7-pole, right                                 | 3764 4014 104 | 0,19 | 1 |
|           | ws     | PC       | Rail connector for DPSN, 7-pole, right                                 | 3764 4014 100 | 0,19 | 1 |
| DPSN-KX   | sw     | PC       | Rail connector for DPSN, 7-pole                                        | 3764 4019 104 | 0,38 | 1 |
|           | ws     | PC       | Rail connector for DPSN, 7-pole                                        | 3764 4019 100 | 0,38 | 1 |

# Accessories 3 phase track DPSN + DALI

DPSN-ADA



DPSN-AET



DPSN-EK




DPSN-DB



DPSN-AK



DPSN-SV



| Type     | Colour | Material | Details                   | Item number   |  |  |
|----------|--------|----------|---------------------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| DPSN-ADA | ws     | PC       | DPSN-DALI-adapter, 5-pole | 3764 4022 100 | 0,06                                                                                | 1                                                                                   |

|          |    |    |                         |               |      |   |
|----------|----|----|-------------------------|---------------|------|---|
| DPSN-AET | ws | PC | DPSN-ET-adapter, 3-pole | 3764 4023 100 | 0,04 | 1 |
|----------|----|----|-------------------------|---------------|------|---|

|         |    |         |                  |               |      |   |
|---------|----|---------|------------------|---------------|------|---|
| DPSN-EK | sw | Polymer | End cap for DPSN | 3764 4007 104 | 0,01 | 1 |
|         | ws | Polymer | End cap for DPSN | 3764 4007 100 | 0,01 | 1 |

|         |    |    |                           |               |      |   |
|---------|----|----|---------------------------|---------------|------|---|
| DPSN-DB | sg | Al | Ceiling mounting for DPSN | 3764 4008 105 | 0,02 | 1 |
|---------|----|----|---------------------------|---------------|------|---|

|         |    |    |                           |               |      |   |
|---------|----|----|---------------------------|---------------|------|---|
| DPSN-AK | sg | Al | Suspension clamp for DPSN | 3764 4011 105 | 0,02 | 1 |
|---------|----|----|---------------------------|---------------|------|---|


|         |    |    |                         |               |      |   |
|---------|----|----|-------------------------|---------------|------|---|
| DPSN-SV | sg | Al | Rail connector for DPSN | 3764 4012 105 | 0,03 | 1 |
|---------|----|----|-------------------------|---------------|------|---|




| Type     | Colour | Material | Details                           | Item number   |  |  |
|----------|--------|----------|-----------------------------------|---------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| DPSN-TSB | ws     | Al       | Mounting rail attachment for DPSN | 3764 4020 100 | 0,01                                                                                | 1                                                                                   |



|         |    |    |                       |               |      |   |
|---------|----|----|-----------------------|---------------|------|---|
| DPSN-DH | sg | St | Ceiling hook for DPSN | 3764 4021 105 | 0,01 | 1 |
|         | ws | St | Ceiling hook for DPSN | 3764 4021 100 | 0,01 | 1 |




|         |    |     |                                                      |               |      |   |
|---------|----|-----|------------------------------------------------------|---------------|------|---|
| DPSN-CS | sg | Mix | Wire suspension for DPSN, up to 15kg, L=100mm-5200mm | 3764 4009 115 | 0,04 | 1 |
|---------|----|-----|------------------------------------------------------|---------------|------|---|



|          |    |       |                                 |               |      |   |
|----------|----|-------|---------------------------------|---------------|------|---|
| DPSN-LBW | sw | Steel | Conductor cutting tool for DPSN | 3764 4010 100 | 0,10 | 1 |
|----------|----|-------|---------------------------------|---------------|------|---|

- ① Phase track DPSN
- ② Power supply DPSN-ESL/ESR
- ③ Center power supply DPSN-ESM
- ④ Rail connector electrical DPSN-KE
- ⑤ Multiflex connector DPSN-KF
- ⑥ Rail connector DPSN-KTIL/KTIR
- ⑦ Rail connector DPSN-KWA/KWI
- ⑧ Rail connector DPSN-KX
- ⑨ End cap DPSN-EK



## Photo index

|      |     |                                                            |
|------|-----|------------------------------------------------------------|
| Page | 1   | nadtytok · shutterstock.com                                |
|      | 2/3 | Gemini Create · shutterstock.com                           |
|      | 7   | Gina Sanders · fotolia.com                                 |
|      | 9   | Michael Meschede, Kaufungen · Herkules Markt Witzenhhausen |

Regiolux



**REGIOLUX**

Regiolux GmbH  
Hellinger Straße 3  
D 97486 Königsberg  
T +49 9525 89 0  
F +49 9525 89 7  
info@regiolux.de  
www.regiolux.de